EAST Search History

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	4	[(("20030043802") or ("20030088529") or ("20030088671") or ("20030086422")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/23 11:25
æ	121318	(count\$5 with (frame\$2 or cell \$2)) and (@ad<="20030901" or @pd<="20030901" or @rlan<="20030901" or @rlad<="20030901" or @rlpn<="20030901")	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2008/02/23 13:05
SS	5520	(count\$5 with (frame\$2 or cell \$2) with (flow\$2 or stream\$4)) and (@ad<="20030901" or @pd<="20030901" or @rlar<="20030901" or @rlad<="20030901" or @rlpn<="20030901")	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2008/02/23 13:07
S4	1111	(count\$5 with (frame\$2 or cell \$2) with (flow\$2 or stream\$4) with threshold\$2) and (@ad<="20030901" or @gd=="20030901" or @glan<="20030901" or @glan<="20030901" or @glan<="20030901" or @glan<="20030901" or @glan<="20030901")	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2008/02/23 13:09
S5	4	(US-20030043802-\$ or US- 20030088671-\$ or US- 20030088529-\$ or US- 20030086422-\$).did.	US-PGPUB	OR	OFF	2008/02/23 13:09
S6	4	S5 and (address\$4 or count\$4 or flow\$4)	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2008/02/23 13:09
S7	1	S5 and (cell\$2 or frame\$2)	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2008/02/23 13:21
S8	33	((frame\$2 or cell\$2) rate\$2 with (flow\$2 or stream\$4) with (exceed\$)) and (@ad<="20030901" or @pd<="20030901" or @ida<="20030901" or @ida<="20030901" or @ida<="20030901" or @ida<="20030901" or @ipn<="20030901" or apipo<="20030901" or apipo<="20030901") and ("370").clas.	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2008/02/23 13:26

S9	117	((frame\$2 or cell\$2) rate\$2 with (flow\$2 or subscriber\$5 or customer\$3 or channel\$2) with (exceed\$ or above or beyond)) and (@ad-e="20030901" or @pd-e="20030901" or @plac="20030901" or @plac="20030901" or @plac="20030901" or @plac="20030901") and ("370").clas.	US-PGPUB; USPAT; EPO; DEFIWENT	ADJ	OFF	2008/02/23 17:19
S10	8	((frame\$2 or cell\$2) rate\$2 with (flow\$2 or subscriber\$5 or channet\$2) with (exceed\$ or above or beyond) with (notif\$5 or signal\$5 or report\$5)) and (c@ade = "20030901" or @pde = "20030901" or @riane = "20030901" or @riane = "20030901" or @riane = "20030901" or @riane = "20030901") and ("370").clas.	US-POPUB; USPAT; EPO; DEFIWENT	ADJ	OFF	2008/02/23 17:33
S11	46	((frame\$2 or cell\$2) rate\$2 with (exceed\$ or above or beyond) with (notif\$5 or signal\$5 or report\$5)) and (c@ad<= "20030901" or cpd= "20030901") and ("370").clas.	US-POPUB; USPAT; EPO; DEFIWENT	ADJ	OFF	2008/02/23 17:38
S12	32	((frame\$2) near1 rate\$2 with (exceed\$5 or above or beyond) with (notifies or signai\$5 or report\$5)) and (@ade = "20030901" or @pde = "20030901" or @riane = "20030901" or @riane = "20030901") and ("370").clas.	US-PCPUB; USPAT; EPO; DEFIWENT	ADJ	OFF	2008/02/23 18:15
S13	153	((frame\$2) near1 (rate\$2 or coun\$5 or quanti\$4 or amount or number\$2) with (exced\$5 or above or beyond or violat\$5 or surpass\$5) with (noti\$5 or signal\$5 or report\$5)) and (@ad<="20030901" or @pd<="20030901" or @gla=="20030901" or @fla=="20030901" or @fla=="20030901" or @rla=="20030901" or @rlo=="20030901" or @rlo=="20030901" or @rlo=="20030901") and ("370").clas.	US-PCPUB; USPAT; EPO; DERWENT	ADJ	OFF	2008/02/23 19:03

S14	217	((frame\$2) near1 (rate\$2 or count\$5 or quanti\$4 or amount or number\$2) with (exceed\$5 or above or beyond or violat\$5 or surpass\$5) with (Inform\$3 or notif\$3 report\$3 or signal\$3 or indicat\$3)) and (@adc="20030901" or @dc="20030901" or @rlanc="20030901" or @rlanc="20030901" or @rlanc="20030901" or @rlanc="20030901" or @rlanc="20030901" or @rlanc="20030901") and ("370").clas.	US POPUB; USPAT; EPO; DEFWENT	ADJ	OFF	2008/02/23 19:06
S15	47	((frame\$2) near1 (rate\$2) with (exceed\$5 or above or beyond or violat\$5 or surpass\$5) with ((Inform\$3 or notifs\$3 report\$3 or signal\$3 or indicat\$3)) and (@ad="20030901" or @pd<="20030901" or @rlan<="20030901" or @rlan<="20030901" or @rlan<="20030901" or @rlan<="20030901" or @rlan<="20030901" or @rlan<="20030901") and ("370").clas.	US-PGPUB; USPAT; EPO; DEFWENT	ADJ	OFF	2008/02/23 19:09
S16	129	((frame\$2) near3 (rate\$2) with (exceed\$5 or above or beyond or violat\$5 or surpass\$5) with (Inform\$3 or notifs\$3 report\$3 or signal\$3 or indicat\$3)) and (@ad<="20030901" or @pd<="20030901" or @rlan<="20030901" or @rlan<"20030901" or @rlan<="20030901" or @rlan<">20030901" or @rlan<="20030901" or @rlan<="20030901" or @rlan<="20030901" or @rlan<="20030901" or @rlan<">20030901" or @rlan<="20030901" or @rlan<="20030901" or @rlan<="20030901" or @rlan<="20030901" or @rlan<">20030901" or @rlan<="20030901" or @rlan<="20030901" or @rlan<">20030901" or @rlan<="20030901" or @rlan<="20030901" or @rlan<">20030901" or @rlan<="20030901" or @rlan<">20030901" or @rlan<="20030901" or @rlan<="20030901" or @rlan<="20030901" or @rlan<">20030901" or @rlan<="20030901" or @rlan<">20030901" or @rlan<="20030901" or @rlan<="20030901" or @rla	US-PGPUB; USPAT; EPO; DEFWENT	ADJ	OFF	2008/02/23 19:09
S17	54	((frame\$2) near3 (rate\$2) with (exceed\$5 or above or beyond or violat\$5 or surpass\$5) with ((Inform\$3 or notifs\$3 report\$3 or indicat\$3)) and (@adc = "20030901" or @pdc = "20030901" or @rlanc = "20030901" or @rlanc = "20030901" or @rlanc = "20030901" or @rlanc = "0030901" or @rlanc	US POPUB; USPAT; EPO; DERWENT	ADJ	OFF	2008/02/23 19:10
S18	4	(US-20030043802-\$ or US- 20030088671-\$ or US- 20030088529-\$ or US- 20030086422-\$).did.	US-PGPUB	OR	OFF	2008/02/24 17:27
S19	0	("2and(count\$5orrate\$2)").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/24 17:46
\$20	4	S18 and (count\$3 or rate\$2)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2008/02/24 17:46

\$21	32	((frame\$2) near1 rate\$2 with (exceed\$5 or above or beyond) with (notifis for signal\$5 or or report\$5)) and (@ad<= "20030901" or @pd<= "20030901" or @pd<= "20030901" or @pia<= "20030901" or @pia<= "20030901" or @pia<= "20030901" or @pia<= "20030901") and ("370") (als.	US-PCPUB; USPAT; EPO; DEFIWENT	ADJ	OFF	2008/02/24 18:28
\$22	T	(packet arrival (rate\$2) with (exceed\$5 or above or beyond or violat\$5 or surpass\$5) with (Inform\$3 or notit\$3 report\$3 or indicat\$3) and (@ad<="20030901" or @pd<="20030901" or @rlan<="20030901" or @rlan<="20030901" or @rlan<="20030901" or @rlan<="20030901" or @rlan<="20030901" or @rlan<="20030901" or @rlan<="20030901") and ("370") olas.	US-PCPUB; USPAT; EPO; DEFIWENT	ADJ	OFF	2008/02/24 18:28
23		(arriv\$5 with packet (rate\$2) with (exceed\$5 or above or beyond or violat\$5 or surpass \$5) with (Inform\$3 or notif\$3 report\$3 or indicat\$3) and (@ad<="20030901" or @pd<="20030901" or @rlan<="20030901" or @rlan<="20030901" or @rlan<="20030901" or @rlan<="20030901" or @rlan<="20030901" or @rlan<="20030901" or @rlan<="20030901") and ("370") clas.	US-POPUB; USPAT; EPO; DEFIWENT	ADJ	OFF	2008/02/24 18:29
S24	4	(packet (rate\$2) with (exceed \$5 or above or beyond or violat \$5 or surpsex\$5) with (Inform\$3 or noti\$3 report\$3 or indicat \$3)) and (@acl = "20030901" or @nd = "20030901" or @rian = "20030901") and ("370") class.	US-PCPUB; USPAT; EPO; DEFIWENT	ADJ	OFF	2008/02/24 18:31
≥ 25	9	(packet (rate\$2) with (exceed \$5 or above or beyond or violat \$5 or surpass\$5) with (Inform\$3 or notif\$3 report\$3 or indicat\$3 or messag\$5) and (@ad<="20030901" or @pd<="20030901" or @pd<="20030901" or @rian<="20030901" or @rian<="20030901" or @rian<="20030901" or @rion<="20030901" or deflore.">20030901" or @rion<="20030901" or deflore.">20030901" or deflore.">2003	US-POPUB; USPAT; EPO; DEHWENT	ADJ	OFF	2008/02/24 18:33

≈ 6	5	(packet (rate\$2) with (exceed \$5 or above or beyond or violat \$5 or surpass\$5) with (Inform\$3 or notif\$3 report\$3 or indicat\$3 or messag\$5)) and (@ad<="20030901" or @pd<="20030901" or @rian<="20030901" or @rian<">20030901" or @rian<="20030901" or @rian<="20030901" or @rian<">20030901" or @rian<="20030901" or @rian<">20030901" or @rian<="20030901" or @rian<">20030901" or @rian<="20030901" or @rian<="20030901" or @rian<="20030901" or @rian<="20030901" or @rian<="20030901" or @rian<">20030901" or @rian<="20030901" or @rian<" or @rian<="20030901" or @rian<" or @rian<="20030	US-PCPUB; USPAT; EPO; DERWENT	ADJ	OFF	2008/02/24 18:34
S27	50	(packet (rate\$2) with (exceed \$5 or beyond or violat\$5 or surpass\$5) and (@ack="20030901" or @pdc="20030901" or @rlanc="20030901" or @rlanc="20030901" or @rlanc="20030901" or @rlanc="20030901" or @rlanc="20030901") and ('370').clas. not \$24	US-PCPUB; USPAT; EPO; DEFRWENT	ADJ	OFF	2008/02/24 18:35
S28	1	(US-20030043802-\$).did.	US-PGPUB	OR	OFF	2008/02/25 12:29
\$29	4	(packet (rate\$2) with (exceed \$5 or above or beyond or violat \$5 or subpass\$5) with (Inform\$3 or notif\$3 report\$3 or indicat \$3)) and (@ad<="20030901" or @nd<="20030901" or @rian<="20030901" or @rian<="20030901" or @rian<="20030901" or @rian<="20030901" or @rian<="20030901") and ('370").clas.	US-PCPUB; USPAT; EPO; DERWENT	ADJ	OFF	2008/02/25 13:15
S30	1	(packet (rate\$2) with (exceed \$5 or beyond or violat\$5 or surpass\$5) with (Inform\$3 or notif\$3 report\$3 or indicat\$3 or messag\$5)) and (@ad< = "20030901" or @pd<= "20030901" or @rian<= "20030901") and ("370") clas. not \$29	US-PCPUB; USPAT; EPO; DEFIWENT	ADJ	OFF	2008/02/25 13:15
S31	2	(packet (rate\$2) with (exceed \$5 or beyond or violat\$5 or surpass\$5) with (inform\$3 or notit\$3 report\$3 or indicat\$3 or indicat\$4 or indicat\$5 or in	US-PCPUB; USPAT; EPO; DEFIWENT	ADJ	OFF	2008/02/25 13:16

S32	0	(packet (rate\$2) with (exceed \$5 or beyond or violat\$5 or surpass\$5) with (backpressure \$2)) and (@ad<="20030901" or @yd<="20030901" or @rat<="20030901" or @rat<="20030901")	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2008/02/25 13:25
S33	31	((rate\$2) with (exceed\$5 or beyond or violat\$5 or surpass \$5) with (backpressure\$2)) and (@ad<="20030901" or @pd<="20030901" or @rian<="20030901" or @rian<="20030901" or @ripn<="20030901")	US POPUB; USPAT; EPO; DERWENT	ADJ	OFF	2008/02/25 13:25
S34	2	(packet (rate\$2) with (exceed \$5 or beyond or violat\$5 or surpass\$5) with (Inform\$3 or notif\$3 or report\$3 or indicat\$3 or messag\$5)) and (@ad<="20030901" or @pd<="20030901" or @rian<="20030901" or @rian<="20030901")	US-PCPUB; USPAT; EPO; DEFWENT	ADJ	OFF	2008/02/25 13:29
\$35	0	((packet or frame\$2) with (rate \$2) with (exceed\$5 or beyond or violat\$5 or surpass\$5) with (backpressure\$2)) and ((@ack = "20030901" or @pdc = "20030901" or @rlan < "20030901")	US-PCPUB; USPAT; EPO; DERWENT	ADJ	OFF	2008/02/25 13:30
S36	2	((packet or frame\$2) with (rate \$2) with (exceed\$5 or beyond or violat\$5 or surpass\$5) same (backpressure\$2)) and ((@ad = "20030901" or @pd = "20030901" or @rian < "20030901")	US-PCPUB; USPAT; EPO; DERWENT	ADJ	OFF	2008/02/25 13:30
S37	52	((rate\$2) with (exceed\$5 or beyond or violat\$5 or surpass \$5) same (backpressure\$2) and (@ad<="20030901" or @rian<="20030901" or @rian="20030901" or @rian	US-PCPUB; USPAT; EPO; DEFWENT	ADJ	OFF	2008/02/25 13:37

S38	31	((packet or frame\$2) with (rate \$2) with (exceed\$5 or beyond or violat\$5 or surpass\$5) same (backpressure\$2 or feedback \$4) and (@adc = "20030901" or @pda = "20030901" or @rian < = "20030901")	US-PGPUB; USPAT; EPO; DEFWENT	ADJ	OFF	2008/02/25 13:45
S39	1	(US-5426640-\$).did.	USPAT	OR	OFF	2008/02/25 14:00
S40	1	S39 and (frame\$2 or rate\$2)	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2008/02/25 14:00
S41	1	(US-5426640-\$).did.	USPAT	OR	OFF	2008/02/25 14:45
S42	1	S41 and rate\$2	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2008/02/25 14:45
S43	1	S41 and (rate\$2 or count\$5 or feedback\$4 or backpressure\$4)	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2008/02/25 14:48
S44	1	(US-7304942-\$).did.	USPAT	OR	OFF	2008/02/25 14:59
S45	1	S44 and backpressure\$4	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2008/02/25 15:00
S46	1407	((rate\$2) with (exceed\$5 or beyond or violat\$5 or surpass \$55 same (backpressure\$2 or feedback\$2)) and ((@ad<="20030901" or @pd<="20030901" or @rlan<="20030901" or @rlad<="20030901" or @rlad<="20030901" or @rlad<="20030901" or @rlad<="20030901" or @rlad<="20030901" or @rlad<="20030901" or @rlad<="20030901")	US-PCPUB; USPAT; EPO; DEPWENT	ADJ	OFF	2008/02/25 15:03
S47	161	((rate\$2) with (exceed\$5 or beyond or violat\$5 or surpass \$5) same (backpressure\$2 or feedback\$2)) and ((@ad= "20030901" or @pdc= "20030901" or @rlan<= "20030901" or @rlan<= "20030901" or @rlan("20030901") and ("370").clas.	US-PCPUB; USPAT; EPO; DEFWENT	ADJ	OFF	2008/02/25 15:04
S48	109	((rate\$2) with (exceed\$5 or beyond or violat\$5 or surpass \$5) same (backpressure\$2 or feedback\$2) and (count\$5) and (@adc = "20030901" or @pdc = "20030901" or @rlan = "20030901" or @rlan = "20030901" or @rlan = "20030901") and ("370") clas.	US-POPUB; USPAT; EPO; DEFIMIENT	ADJ	OFF	2008/02/25 15:25

S49	65	((rate\$2) with (exceed\$5 or beyond or violat\$5 or surpass \$5) same (backpressure\$2 or feedback\$2)) and (count\$5 with (packet\$4 or frame\$2)) and (@ad-e "20030901" or @d-e "20030901" or @ilan= "20030901" or @riac= "20030901" or @riac= "20030901" or @riac= "20030901") and ("370").clas.	US-PCPUB; USPAT; EPO; DERWENT	ADJ	OFF	2008/02/25 15:28
\$50	16	((rate\$2) with (exceed\$5 or beyond or violat\$5 or surpass \$5) same (backpressure\$2 or feedback\$2)) and (count\$5 with (packet\$4 or frame\$2) with rate\$2) and (count\$5 with packet\$4 or frame\$2) with rate\$2 and (@ad<= "20030901" or @pd<= "20030901" or @rlan<= "20030901" or @rlan<= "20030901" or @rlan<= "20030901" or (@rlan<= "20030901") and ("370").clas.	US POPUB; USPAT; EPO; DERWENT	ADJ	OFF	2008/02/25
S 51	54	((rate\$2) with (exceed\$5 or beyond or violat\$5 or surpass \$5) same (backpressure\$2 or feedback\$2) and (count\$5 with rate\$2) and ((@ad<= "20030901" or @id== "20030901") and ("370").clas.	US-PCPUB; USPAT; EPO; DERWENT	ADJ	OFF	2008/02/25 16:49
\$52	38	((rate\$2) with (exceed\$5 or beyond or violat\$5 or surpass \$5) same (backpressure\$2 or feedback\$2)) and (count\$5 with rate\$2) and (@ad<= "20030901" or @pd<= "20030901" or @ilan<= "20030901" or @ilan<= "20030901" or @ilan<= "20030901" or @ilan<= "10030901" or @ilan<= "10030901" or	US POPUB; USPAT; EPO; DERWENT	ADJ	OFF	2008/02/25 16:49
\$53	13	((rate\$2) with (exceed\$5 or beyond or violat\$5 or surpass \$5) same (backpressure\$2 or feedback\$2)) and (count\$5 with rate\$2) and (@ad<="20030901" or @rlan<="20030901" or @rlan<="20030901") and ("370").clas. not (cell\$2 or atm)	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2008/02/25 17:10

S54	9 6	((rate\$2) with (exceed\$5 or beyond or violat\$5 or surpass \$5) same (backpressure\$2 or feedback\$2)) and (count\$5 same rate\$2) and (@ad<="20030901" or @rian<="20030901" or @rian<="20030901" or @rian<="20030901" or @rial<="20030901" or @rial<="20030901" or @rial<="20030901" or @rial<="20030901" or @rial<="20030901" and ("370").clas. not (cell\$2 or atm) in	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2008/02/25 17:15
S55	2	((rate\$2) with (exceed\$5 or beyond or violat\$5 or suppass \$5) same (backpressure\$2 or feedback\$2)) and (count\$5 same rate\$2) and (count\$5 same rate\$2) and (@ad<="20030901" or @pd<="20030901" or @rian<="20030901" or @rian<="20030901" or @riacl<="20030901" or @riac	US-POPUB; USPAT; EPO; DEFIWENT	ADJ	OFF	2008/02/25 17:16
S56	0	((pps) with (exceed\$5 or beyond or violat\$5 or surpass \$55 same (backpressure\$2 or feedback\$2)) and ((@ad<="20030901" or @pd<="20030901" or @rtan<="20030901" or @rtan<="20030901" or @righer<="20030901" or @righer	US POPUB; USPAT; EPO; DEFIWENT	ADJ	OFF	2008/02/25 17:18
S57	0	((rate) with (exceed\$5 or beyond or violat\$5 or surpass \$5) same (backpressure\$2 or feedback\$2)) and pps and ((@ad<="20030901" or @pd<="20030901" or @pf<="20030901" or @rian<="20030901" or @rian<">20030901" or @rian<="20030901" or @rian<">20030901" or @rian<="20030901" or @rian<">20030901" or @rian<="20030901" or @rian<="	US-PCPUB; USPAT; EPO; DEFIWENT	ADJ	OFF	2008/02/25 17:18
S58	8	((rate) with (threshold or watermark or water mark) same (backpressures2 or feedback \$2) and (counts4 with rate\$2) and (@ad-c "20030901" or @pd-c "20030901" or @rlan = "2003090	US-PCPUB; USPAT; EPO; DERWENT	ADJ	OFF	2008/02/25 17:38

S59	95	((rate) with (exceed\$5 or beyond or violat\$5 or surpass \$5) and (backpressure\$2 or feedback\$2)) and (bount\$5 with rate\$4) and (cade = "20030901" or carlot = "20030901") and ("370") clas. not (cell\$2 or atm)	US PCPUB; USPAT; EPO; DEFIWENT	ADJ	OFF	2008/02/25 17:48
S60	15	((rate\$2) with (exceed\$5 or beyond or violat\$5 or surpass \$5) same (backpressure\$2 or feedback\$2)) and (count\$5 same rate\$2 and ((@ad<="20030901" or @pd<="20030901" or @rlan<="20030901" or @rlan<="20030901") and ("370").das. not (cell\$2 or atm)	US-PCPUB; USPAT; EPO; DEFIWENT	ADJ	OFF	2008/02/25 17:49
S61	55	((rats\$2) with (exceed\$5 or beyond or violat\$5 or surpass \$5) same (backpressure\$2 or feedback\$2)) and ((@ad<="20030901" or @pd<="20030901" or @rlan<="20030901" or @rlan<"20030901" or @rlan<="20030901" or @rlan<"20030901" or @rlan	US-PCPUB; USPAT; EPO; DEFIWENT	ADJ	OFF	2008/02/25 18:36
S62	55	((rate\$2) with (excee\$5 or beyond or violat\$5 or surpass \$5) same (backpressure\$2 or feedback\$2)) and (@ad<="20030901" or @pd<="20030901" or @pd<="20030901" or @rian<="20030901" or @rian<="20030901" or @rian<="20030901" or @rian<="10030901" or @rian<"10030901" or @rian<="10030901" or @rian<"10030901" or @rian<="10030901" or @rian<"10030901" or @rian<="10030901" or @rian<"10030901" or @rian<="10030901" or @rian<"10030901" or @rian<="10030901" or @rian<="10030901" or @rian<"10030901" or @rian<="10030901" or @rian<"10030901" or @rian<="10030901" or @rian<"10030901" or @rian<	US-PCPUB; USPAT; EPO; DEFIWENT	ADJ	OFF	2008/02/25 18:37
S63	1	(US-7206285-\$).did.	USPAT	OR	OFF	2008/02/25 18:41
S64	1	S63 and (rate\$2)	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2008/02/25 18:41
S65	4	(US-20030043802-\$ or US- 20030088671-\$ or US- 20030088529-\$ or US- 20030086422-\$).did.	US-PGPUB	OR	OFF	2008/02/25 18:44
S66	4	S65 and (rate\$2)	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2008/02/25 18:44

S 67	49	(packet\$4 near2 (rate\$2) with (backpressure\$2 or feedback \$2) and (@ad<="20030901" or @pdd="20030901" or @rlan<="20030901" or @rlan<="20030901" or @rlan<="20030901" or @rlan<="20030901" or @rlan<="20030901" or @rlan<="20030901" or @rlan<="20030901") and ("370") clas. not (cell\$2 or atm)	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2008/02/25 19:46
S68	1	(US-6563790-\$).did.	USPAT	OR	OFF	2008/02/25 22:52
S69	1	S68 and (rate\$2)	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2008/02/25 22:52
S70	117	[packet\$4 near2 (rate\$2) same (backpressure\$2 or feedback \$2) and (@ad<="20030901" or @pdc="20030901" or @rlan<="20030901" or @rlan<="20030901" or @rlad<="20030901" or @rlan<="20030901" or @rlan<="20030901" or @rlan<="20030901" or despective of the properties of t	US POPUB; USPAT; EPO; DERWENT	ADU	OFF	2008/02/25 22:55
S71	1	(packet\$4 arrival (rate\$2) same (backpressure\$2 or feedback\$2) and (@ack = "20030901" or @pd<= "20030901" or @rlan<= "20030901" or @rlac<= "20030901" or @rlac<= "20030901" or @rlac(s = "20030901") or @rlac(s = "20030901") and ("370").clas. not (cell\$2 or atm)	US-PCPUB; USPAT; EPO; DEFWENT	ADJ	OFF	2008/02/25 22:58
S72	5	((packet\$4 or frame\$2) arrival (rate\$2) same (backpressure\$2) or feedback\$2) and (@ack = "20030901" or @pack = "20030901" or @rlanc = "20030901" or @rlanc = "20030901" or @rlanc = "20030901" or @rlanc = "20030901") and ("370").clas.	US-PCPUB; USPAT; EPO; DERWENT	ADJ	OFF	2008/02/25 22:59
S73	38	(arrival (rate\$2) same (backpressure\$2 or feedback \$2) and (@ad<="20030901" or @pdc="20030901" or @rlan<="20030901" or @rlan<="20030901" or @rlan<="20030901" or @rlan<="20030901" or @rlan<="20030901" or @rlan<="20030901") and ("370").clas.	US POPUB; USPAT; EPO; DERWENT	ADJ	OFF	2008/02/25 23:04
S74	1	(US-7023857-\$).did.	USPAT	OR	OFF	2008/02/25 23:17
S75	1	S74 and (count\$5 or rate\$2)	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2008/02/25 23:18

S76	1	(pps same (backpressure\$2 or feedback\$2) and (@ad<="20030901" or @pd<="20030901" or @pd<="20030901" or @rlan<="20030901" or @rlad<="20030901" or @rlad<="20030901" or @rlad<="20030901") and ("370").clas.	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2008/02/25 23:29
S77	10	(packets per second same (backpressure\$2 or feedback \$2) and (@ad<="20030901" or @pdc="20030901" or @rlan<="20030901" or @rlack="20030901" or @rlack="20030901" or @rlan<="20030901" or @rlan<="20030901") and ("370").clas.	US PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2008/02/25 23:29
S78	35	(packets per second with (exceed\$5 or beyond or violat\$5 or surpass\$5 or threshold\$2 or limit\$41) and ((@ad<= "20003991" or @pd<= "20030991" or @rlan<= "20030901" or @rlan<= "20030901") and ("370").clas.	US-POPUB; USPAT; EPO; DERWENT	MADJ	OFF	2008/02/25 23:47
S79	1	(US-20050018608-\$).did.	US-PGPUB	OR	OFF	2008/02/26 00:44
\$80	1	S79 and director\$2	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2008/02/26 00:44
S81	3	"US 7058015"	US-PGPUB; USPAT; USOCR; DERWENT	OR	OFF	2008/02/26 01:18
\$82	430	(packet with payload with source with destination) and (@ade = "20030901" or @pde = "20030901" or @rlane = "20030901" or @rlade = "20030901" or @rlade = "20030901") and ("370").clas.	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2008/02/26 01:30
S83	127	(packet with payload with source with destination) and (@ade = "20030901" or @pde = "20030901" or @rlane = "20030901" or @rlane = "20030901" or @rlane = "20030901" and ("370").clas. and (payload with layer\$2)	US-PGPUB; USPAT; EPO; DEFWENT	ADJ	OFF	2008/02/26 01:30

S84	33	(ip with packet with payload with source with destination) and (@ad<="20030901" or @pd<="20030901" or @riad<="20030901" or @riad<="20030901" or @riad<="20030901" or @ripd<="20030901") and ("370").clas. and (payload with layer\$2)	US POPUB; USPAT; EPO; DEFWENT	ADJ	OFF	2008/02/26 01:32
S85	1	(US-20050018608-\$).did.	US-PGPUB	OR	OFF	2008/02/26 10:50
S86	1	S85 and (rout\$5)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2008/02/26 10:50
S87	1	S85 and (director\$2)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2008/02/26 11:20
S88	1	S85 and (sensor\$2)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2008/02/26 11:33
S89	2	"US 20060245358"	US-PGPUB; USPAT; USOCR; DERWENT	OR	OFF	2008/02/26 12:37
S90	1	(US-20050018608-\$).did.	US-PGPUB	OR	OFF	2008/02/26 14:16
S91	1	S90 and (routing device\$2)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2008/02/26 14:16
S92	1	(US-7058015-\$).did.	USPAT	OR	OFF	2008/02/26 15:29
S93	1	S92 and sensor\$2	US-PGPUB; USPAT; USOCR; DERWENT	OR	OFF	2008/02/26 15:29
S94	1	(US-20050018608-\$).did.	US-PGPUB	OR	OFF	2008/02/26 16:01
S95	1	S94 and (regulat\$5 with sensor \$2)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2008/02/26 16:02
S96	1	(US-7058015-\$).did.	USPAT	OR	OFF	2008/02/26 16:06
S97	1	S90 and (sensor\$2)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2008/02/26 16:06
S98	1	(S92 and (sensor\$2)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2008/02/26 16:08
S99	10	(delet\$5 with (below threshold \$2)) and (@ad<="20030901" or @d<="20030901" or @rlan<="20030901" or @rlad<="20030901" or @rlad<="20030901" or @rlpn<="20030901" or @rlon<="20030901") and "370". idas.	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2008/02/27 00:11

S100	4	(delet\$5 with (inactive near2 flow\$2) and (@adc= "20030901" or @pdc= "20030901" or @rdac= "20030901" or @rlack= "20030901" or @rlack= "20030901" or @rlack= "20030901" or @rlack= "20030901") and "370". clas.	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2008/02/27 00:13
S101	6	(upd port) same ip and (@ad<="20030901" or gpd<="20030901" or @rlan<="20030901" or @rlan<="20030901" or @rlad<="20030901" or @rlpn<="20030901") and "370". clas.	US-PCPUB; USPAT; EPO; DERWENT	ADJ	OFF	2008/02/27 00:19
S102	0	(upd port) with header\$2 and (@ad<= "20030901" or @pd<= "20030901" or @rlan<= "20030901" or @rlad<= "20030901" or @rlpn<= "20030901" or @rlpn<= "20030901") and "370". clas.	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2008/02/27 00:19
S103	149	(udp port) with header\$2 and (@ad<= "20030901" or @pd<= "20030901" or @rlan<= "20030901" or @rlad<= "20030901" or @rlpn<= "20030901" or @rlpn<= "20030901") and "370". clas.	US-PCPUB; USPAT; EPO; DERWENT	ADJ	OFF	2008/02/27 00:20
S104	17	(udp port) with header\$2 same ip packet and (@adc= "20030901" or @pdc= "20030901" or @rlanc= "20030901" or @rlanc= "20030901" or @rlanc= "20030901" or @rlanc= "20030901") and "370". clas.	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2008/02/27 00:20
S105	2121	(table\$2 with registr\$5) and ((@ad<= "20030901" or @pd<= "20030901" or @rlan<= "20030901" or @rlad<= "20030901" or @rlpn<= "20030901" or @rlpn<= "20030901") and ("370" or "709").clas.	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2008/02/27 13:52
S106	1	("20070140128").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/27 13:56
S107	5182	370/229-235.cds. and (@ad<="20030901" or @pd<="20030901" or @rlan<="20030901" or @rlad<="20030901" or @rlpn<="20030901")	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2008/02/27 13:59

S108	50609	(exceed\$5 or beyond or violat\$5 or surpass\$5) near4 (threshold \$2 or level\$5 or limit\$2 or limit\$2 or limit\$4 or watermark\$4 or height\$2 or size \$5 or water mark\$2 or count) with (time or interval or period) and (@ad<="20030901" or @d=="20030901" or @d=="20030901" or @d=="20030901" or @d=="20030901" or @d=="20030901" or @d=="20030901" or @d=="20030901")	US-PCPUB; USPAT; EPO; DERWENT	ADJ	OFF	2008/10/09 10:32
S109	5934	(exceed\$5 or beyond or violat\$5 or surpass\$5) near4 (threshold \$2 or level\$2 or limit\$2 or watermark\$4 or height\$2 or size \$2 or water mark\$4 or height\$2 or size \$2 or water mark\$2 or count) with (time or interval or period) and (@ada = "20030901" or @rlan< = "20030901" or @	US-POPUB; USPAT; EPO; DERWENT	ADJ	OFF	2008/10/09 10:32
S110	477	[exceed\$5 or beyond or violat\$5 or surpass\$5) near4 (threshold \$2 or level\$2 or limit\$2 or watermark\$4 or height\$2 or size \$2 or water mark\$4 or height\$2 or size \$2 or water mark\$2 or count) with (time or interval or period) same (address\$4) and ([@ad<="20030901" or @id=="20030901" or @id==="20030901" or @id==="20030	US POPUB; USPAT; EPO; DERWENT	ADJ	OFF	2008/10/09 10:33
S111	1208	(exceed\$5 or beyond or violat\$5 or surpass\$5) near4 (threshold \$2 or level\$2 or limit\$2 or size \$2 or level\$3 or limit\$2 or size \$2 or watermark\$4 or height\$2 or size \$2 or water mark\$2 or count) with (time or interval or period) same ((frame\$4 or packet\$4 or cell\$4) with (count\$4 or number \$4 or threshold\$2 or limit\$4 or tally\$4 or occur\$4 or measur\$4 or statistic\$4) and ((gad<= 20030901" or (gad== 20030901" or (grian== 20030901" or (grian== 20030901") or (grian== 20030901") and ("370" or "455" or "709").clas.	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2008/10/09

S112	269	370/237.cds. and (@ad<="20030901" or @pd<="20030901" or @pd=="20030901" or @rlad<="20030901" or @rlpn<="20030901")	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2009/01/21 13:44
S113	728	370/238.cds. and (@ad<="20030901" or @pd<="20030901" or @rlan<="20030901" or @rlad<="20030901" or @rlpn<="20030901")	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2009/01/21 13:44
S114	50	((KENIOHI) near2 (MATSUI)). INV.	US-PGPUB; USPAT	ADJ	OFF	2009/01/21 13:48
S115	55	((TAKESHI) near2 (YAGI)).INV.	US-PGPUB; USPAT	ADJ	OFF	2009/01/21 13:52
S116	3	((YUUICHI) near2 (NARUSE)). INV.	US-PGPUB; USPAT	ADJ	OFF	2009/01/21 13:56
S117	8	((JUNICHI) near2 (MURAYAMA)). INV.	US-PGPUB; USPAT	ADJ	OFF	2009/01/21 13:56
S118	6	((MASAKI) near2 (KANEDA)). INV.	US-PGPUB; USPAT	ADJ	OFF	2009/01/21 13:56
S119	2915	370/392.cds. and (@ad<="20030901" or @pd<="20030901" or @rlan<="20030901" or @rlad<="20030901" or @rlpn<="20030901")	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2009/01/26 17:41
S120	15268	(count\$5 near2 frame\$2) and (@ad<="20030901" or @od<="20030901" or @rlan<="20030901" or @rlad<="20030901" or @rlpn<="20030901")	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2009/01/26 17:56
S121	2271	(count\$5 near2 frame\$2) and (optimiz\$5 or improv\$4 near3 route\$2) and (@adc = "20030901" or @adac = "20030901" or @rianc = "20030901" or @rianc = "20030901" or @rianc = "20030901" or @rianc = "20030901" or	US-POPUB; USPAT; EPO; DERWENT	ADJ	OFF	2009/01/26 18:00
S122	118	(count\$5 near2 frame\$2) same (optimiz\$5 or improv\$4 near3 route\$2) and (@ad<="20030901" or @da=="20030901" or @dian=="20030901" or @diad<="20030901" or @diad=="20030901" or @diad=="20030901" or @diad=="20030901" or @diad=="20030901" or @diad=="20030901")	US-PCPUB; USPAT; EPO; DERWENT	ADJ	OFF	2009/01/26 18:12

S123	52	(count\$5 near2 frame\$2) same (optimiz\$5 or improv\$4 near3 rout6\$2] and (@ad<="20030901" or @pd<="20030901" or @rlan<="20030901" or @rlad<="20030901" or @rlad<="20030901" or @rlad<="20030901" or @rlad<="20030901") and ("370") clas.	US-PCPUB; USPAT; EFO; DEFWENT	ADJ	OFF	2009/01/26 18:13
S124	2	(count\\$5 near2 frame\\$2\) same (optimiz\\$5 or improv\\$4 or new or recalculat\\$5\) near3 rout\\$5\) near3 rout\\$2\) and (@ad<= "20030901" or @pd<= "20030901" or @rian<= "20030901" or @rian<= "20030901" or @rian<= "20030901") and ("370").clas.	US-PCPUB; USPAT; EPO; DEFWENT	ADJ	OFF	2009/01/26 18:14
S125	***************************************	(count\$5 near2 frame\$2) and (optimiz\$5 or inprov\$4 or new or recalculat\$5 or calculat\$5) near3 route\$2 and (@ad<= "20030901" or @pd<= "20030901" or @rian<= "20030901" or @rian<= "2030901" or @rian<= "2030901" or @rian("20030901") and ("370").clas.	US-PCPUB; USPAT; EPO; DEFIWENT	ADJ	OFF	2009/01/26 18:16
S126	31	(measurem\$5 or statictic\$4) same (optimiz\$5 or improv\$4 or new or recalculat\$5 or calculat \$5) near3 route and (@ad<="20030901" or @pd<="20030901" or @rian<="20030901" or @rian<="20030901" or @rian<="20030901") and ("370").class.	US-POPUB; USPAT; EPO; DEFIWENT	ADJ	OFF	2009/01/26 18:18
S127	0	((count\$5 or number\$2 or quanti\$5) near2 frame\$2) saame (optimi2\$5 or improv\$4 or new or recalculat\$5 or calculat\$5 in near3 route\$2 and (@ad<="20030901" or @pd<="20030901" or @rlan<="20030901" or @rlad<="20030901" or @rlad<"20030901" or @rlad<="20030901" or @r	US-PCPUB; USPAT; EPO; DEFIWENT	ADJ	OFF	2009/01/26 18:38

S128	7	((count\$5 or number\$2 or quanti\$5) near 2 frame\$2) same (optimiz\$5 or improv\$4 or new or recalculat\$5 or calculat \$5) near3 route\$2 and ((@ad<="20030901" or @pd<="20030901" or @rlan<="20030901" or @rlan<="20030901" or @rlan<="20030901" or @rlan<="20030901") and ("370").clas.	US-PCPUB; USPAT; EPO; DEFWENT	ADJ	OFF	2009/01/26 18:38
S129	172	((count\$5 or number\$2 or quanti\$5) near2 frame\$2) with (destinat\$5) with source\$2 and (@ad<="20030901" or @pd<="20030901" or @rlan<="20030901" or @rlad<="20030901" or @rlan<="20030901" or @rlan<="20030901" or @rlan<="20030901") and ("370").clas.	US-PCPUB; USPAT; EPO; DEHWENT	ADJ	OFF	2009/01/26
S130	61	((count\$5) near5 frame\$2) with (destinat\$5) with source\$2 and ((@ad<= "20030901" or @pd<= "20030901" or @rlan<= "20030901" or @rlad<= "20030901" or @rlad<= "20030901" or @rlad<= "20030901") and ("370").clas.	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2009/01/26 19:23

^{1/27/2009 2:47:32} PM

C:\ Documents and Settings\ kcehic\ Desktop\ apps\ 10532636\ 636.wsp